

**Table 3.9A Participation in a Prevention Program or Group in the Past Year among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Numbers in Thousands, 2006 and 2007**

Demographic/Geographic Characteristic	PREVENTION PROGRAM OR GROUP <sup>1</sup>					
	Problem-Solving, Communication, or Self-Esteem Group		Violence Prevention Program		Pregnancy or Sexually Transmitted Disease Prevention Program	
	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	5,560	5,552	3,692	3,916	2,794	2,887
<b>AGE</b>						
12-13	2,010	2,091	1,693	1,821	879	925
14-15	1,886	1,829	1,233	1,228	1,129	1,081
16-17	1,663	1,632	766	867	787	881
<b>GENDER</b>						
Male	2,708	2,613	1,892	1,979	1,443	1,373
Female	2,852	2,939	1,800	1,937	1,351 <sup>a</sup>	1,515
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	4,614	4,580	3,009	3,156	2,290	2,308
White	3,144	3,098	1,806	1,874	1,384	1,361
Black or African American	1,051	1,057	885	1,002	724	764
American Indian or Alaska Native	26	25	22	23	15	17
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	276	280	206	166	92	117
Two or More Races	96	103	62	73	53	43
Hispanic or Latino	946	971	683	760	504	579
<b>COUNTY TYPE</b>						
Large Metro	3,030	3,064	1,989 <sup>a</sup>	2,206	1,501	1,584
Small Metro	1,647	1,611	1,108	1,146	813	841
Nonmetro	883	877	594	564	480	463

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with unknown data were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 3.9B Participation in a Prevention Program or Group in the Past Year among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Percentages, 2006 and 2007**

Demographic/Geographic Characteristic	PREVENTION PROGRAM OR GROUP <sup>1</sup>					
	Problem-Solving, Communication, or Self-Esteem Group		Violence Prevention Program		Pregnancy or Sexually Transmitted Disease Prevention Program	
	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	22.4	22.5	14.7 <sup>a</sup>	15.7	11.1	11.5
<b>AGE</b>						
12-13	26.3	26.9	21.4	22.8	11.0	11.5
14-15	21.6	21.8	14.0	14.6	12.9	12.8
16-17	19.7	19.1	9.0	10.1	9.3	10.3
<b>GENDER</b>						
Male	21.3	20.7	14.7	15.5	11.2	10.8
Female	23.5	24.4	14.6	15.8	10.9 <sup>a</sup>	12.3
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	22.6	22.8	14.6	15.5	11.1	11.3
White	21.1	21.1	12.0	12.6	9.1	9.1
Black or African American	27.4	27.9	22.9 <sup>a</sup>	26.3	18.7	20.1
American Indian or Alaska Native	19.9	15.5	16.5	13.8	11.2	10.2
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	27.9	28.3	20.2	16.6	8.9	11.5
Two or More Races	23.3	25.3	15.2	17.6	12.7	10.3
Hispanic or Latino	21.3	21.4	15.1	16.5	11.2	12.5
<b>COUNTY TYPE</b>						
Large Metro	22.6	22.9	14.7 <sup>a</sup>	16.3	11.0	11.7
Small Metro	22.2	22.2	14.7	15.7	10.7	11.4
Nonmetro	22.0	21.5	14.6	13.7	11.8	11.2

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with unknown data were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 3.10A Participation in a Substance Use Program or Exposure to Substance Use Prevention Message in the Past Year among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Numbers in Thousands, 2006 and 2007**

Demographic/Geographic Characteristic	SUBSTANCE USE PROGRAM OR PREVENTION MESSAGE <sup>1</sup>							
	Participated in Alcohol, Tobacco, or Drug Prevention Program Outside of School		Participated in Program to Help Deal with Drug or Alcohol Use		Saw or Heard Alcohol or Drug Prevention Message from Sources Outside School		Talked to Parents about Dangers of Tobacco, Alcohol, or Drug Use	
	2006	2007	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	2,882	2,834	1,224	1,189	19,937 <sup>b</sup>	19,423	15,013	14,833
<b>AGE</b>								
12-13	1,115	1,163	486	517	5,893	5,823	4,924	4,913
14-15	986	901	419	350	7,072 <sup>a</sup>	6,662	5,257 <sup>a</sup>	4,939
16-17	781	770	319	322	6,972	6,937	4,832	4,980
<b>GENDER</b>								
Male	1,476	1,493	689	649	9,940 <sup>b</sup>	9,675	7,403	7,313
Female	1,407	1,341	535	541	9,997 <sup>b</sup>	9,748	7,610	7,519
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	2,342	2,290	1,003	932	16,459 <sup>b</sup>	15,909	12,259 <sup>a</sup>	11,984
White	1,508	1,477	633	551	12,117	11,772	9,339	9,139
Black or African American	606	583	273	301	2,975	2,827	2,026	1,943
American Indian or Alaska Native	14	*	11	14	98	124	71	100
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	133	145	51	46	847	808	516	527
Two or More Races	64	47	23	18	342	320	250	246
Hispanic or Latino	540	544	221	258	3,478	3,514	2,754	2,849
<b>COUNTY TYPE</b>								
Large Metro	1,497	1,449	656	660	10,760	10,559	8,216	8,159
Small Metro	864	877	360	347	6,004	5,742	4,437	4,293
Nonmetro	522	509	209	183	3,173	3,122	2,360	2,381

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.<sup>1</sup> Respondents with unknown data were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 3.10B Participation in a Substance Use Program or Exposure to Substance Use Prevention Message in the Past Year among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Percentages, 2006 and 2007**

Demographic/Geographic Characteristic	SUBSTANCE USE PROGRAM OR PREVENTION MESSAGE <sup>1</sup>							
	Participated in Alcohol, Tobacco, or Drug Prevention Program Outside of School		Participated in Program to Help Deal with Drug or Alcohol Use		Saw or Heard Alcohol or Drug Prevention Message from Sources Outside School		Talked to Parents about Dangers of Tobacco, Alcohol, or Drug Use	
	2006	2007	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	11.4	11.3	4.9	4.8	79.4 <sup>b</sup>	77.9	59.8	59.6
<b>AGE</b>								
12-13	14.0	14.5	6.2	6.5	74.9	73.1	62.4	61.9
14-15	11.2	10.7	4.8	4.1	80.8 <sup>a</sup>	79.0	60.1	58.7
16-17	9.2	9.0	3.8	3.8	82.1	81.3	57.0	58.4
<b>GENDER</b>								
Male	11.5	11.7	5.4	5.1	77.5	76.1	57.8	57.6
Female	11.4	10.9	4.3	4.4	81.3 <sup>a</sup>	79.7	61.9	61.7
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	11.3	11.2	4.9	4.6	79.9 <sup>b</sup>	78.3	59.5	59.0
White	10.0	9.9	4.2	3.7	80.4 <sup>a</sup>	79.2	61.9	61.5
Black or African American	15.7	15.3	7.1	8.0	77.1 <sup>a</sup>	74.3	52.7	51.4
American Indian or Alaska Native	10.7	*	8.5	8.5	72.6	75.4	52.6	61.0
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	12.9	14.4	5.0	4.6	83.9	80.3	50.8	52.3
Two or More Races	15.5	11.3	5.6	4.2	82.9	77.4	60.6	60.1
Hispanic or Latino	11.9	11.8	4.9	5.6	77.1	76.3	61.2	62.1
<b>COUNTY TYPE</b>								
Large Metro	11.0	10.7	4.8	4.9	79.4	78.3	60.8	60.5
Small Metro	11.4	12.0	4.8	4.7	80.0	78.4	58.9	58.9
Nonmetro	12.8	12.3	5.1	4.4	78.2 <sup>a</sup>	75.8	58.1	57.9

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with unknown data were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.